

# Multiple instance learning of Calmodulin binding sites

Fayyaz ul Amir Afsar Minhas\* and Asa Ben-Hur\*

Department of Computer Science, Colorado State University, Fort Collins, CO 80523-1873, USA

Received on XXXXX; revised on XXXXX; accepted on XXXXX

Associate Editor: XXXXXXXX

---

## 2 ABSTRACT

3 **Motivation:** Calmodulin (CaM) is a ubiquitously conserved protein  
4 that acts as a calcium sensor, and interacts with a large number of  
5 proteins. Detection of CaM binding proteins and their interaction  
6 sites experimentally requires a significant effort, so accurate meth  
7 ods for their prediction are important.  
8 **Results:** We present a novel algorithm (MI-1 SVM) for binding site  
9 prediction and evaluate its performance on a set of CaM-binding  
10 proteins extracted from the Calmodulin Target Database. Our ap  
11 proach directly models the problem of binding site prediction as a  
12 large-margin classification problem, and is able to take into accoun  
13 uncertainty in binding site location. We show that the proposed algo  
14 rithm performs better than the standard SVM formulation, and illu  
15 trate its ability to recover known CaM binding motifs. A highly accu  
16 rate cascaded classification approach using the proposed binding  
17 site prediction method to predict CaM binding proteins in *Arabidop*  
18 *sis thaliana* is also presented.  
19 **Availability:** Matlab code for training MI-1 SVM and the cascade  
20 classification approach is available on request.  
21 **Contact:** fayyazafsar@gmail.com; asa@cs.colostate.edu

## 22 1 INTRODUCTION

23 Calmodulin (CaM) is an intracellular calcium sensor protein tha  
24 interacts with a large number of proteins to regulate their biologi  
25 cal functions and exhibits sequence conservation across all eukary  
26 otes (Bouche, Yellin, Snedden, & Fromm, 2005).  $Ca^{2+}$  plays a very  
27 important role in many cellular functions ranging from fertilization  
28 and cellular division to neuronal spiking (Reddy, Ben-Hur, & Day  
29 2011). Due to the importance of calcium signaling in cells, identi  
30 fying proteins that bind CaM and determining the location of the  
31 CaM binding site in them can help in gaining a better understand  
32 ing of cellular function in general, and the role of calcium in dif  
33 ferent cellular processes in particular. This paper presents a highly  
34 accurate computational approach that can identify the location of a  
35 CaM binding site in a protein solely on the basis of its amino aci  
36 sequence, helping avoid the significant effort of performing such  
37 experiments in the lab (Reddy, Ben-Hur, & Day, 2011). Our ap  
38 proach uses sequence information alone, which ensures its wide  
39 applicability in comparison to methods that rely on structural mod  
40 eling (Zhou & Qin, 2007).  
41 CaM binding sites are known to be contiguous in sequence, of  
42 ten occurring through an amphiphilic alpha helix (O'Neil &  
43 DeGrado, 1990). This makes CaM binding site prediction amena  
44 ble to a sliding-window classification approach, as applied in re

cent work (Radivojac, Vucetic, O'Connor, Uversky, Obradovic, & Dunker, 2006), (Hamilton, Reddy, & Ben-Hur, 2011). The method by Radivojac et al. uses a hierarchical neural network classifier trained on the basis of amino acid properties averaged over a fixed-size window. Hamilton et al. showed that a simple sliding window Support Vector Machine (SVM) trained on average amino acid composition achieves similar performance.

In this paper we present a novel formulation of the binding site prediction problem that is based on the framework of multiple instance learning (MIL) (Dietterich, Lathrop, & Lozano-Perez, 1997). In MIL positive examples come in bags. For a positive bag, it is assumed that at least one of the examples is indeed positive whereas negative bags contain only negative examples. We use this for binding site prediction by forming a positive bag out of fixed-size sequence windows that overlap the annotated binding site. This allows us to model the uncertainty in actual binding site location—experimental methods may not precisely locate a binding site, and may include a region that is larger than the true binding site due to limitations of budget and experimental procedures. Furthermore, modeling binding sites this way facilitates the use of sequence representations that are position dependent, yielding a more detailed model of the binding site. This allows learning of motifs that are characteristic of the binding site.

MIL has been applied in a variety of other problem domains such as object tracking (Babenko, Yang, & Belongie, 2011), protein identification (Tao, Scott, Vinodchandran, & Osugi, 2004), and prediction of protein-ligand binding affinities (Teramoto & Kashima, 2010).

Our results show that the proposed MI-1 SVM has higher accuracy than the classical multiple instance SVM (Andrews, Tsochantaridis, & Hofmann, 2003), and is also faster to train. MI-1 also performs better than a standard SVM, thereby improving on existing work of (Radivojac, Vucetic, O'Connor, Uversky, Obradovic, & Dunker, 2006) and (Hamilton, Reddy, & Ben-Hur, 2011). We also compare the merits of several ways of representing binding sites, and demonstrate the ability of our method to learn motifs that are associated with CaM binding. Finally, we show how the resulting binding site predictor can be used as the basis for a classifier that predicts CaM binding proteins, with improved accuracy over earlier work.

## 2 METHODS

### 2.1 Data Sets and Pre-processing

1 The data set for CaM binding site prediction and its pre-processing  
 2 follows (Radivojac, Vucetic, O'Connor, Uversky, Obradovic, &  
 3 Dunker, 2006). A set of 210 proteins was obtained from the Cal-  
 4 modulin Target database (Yap, Kim, Truong, Sherman, Yuan, &  
 5 Ikura, 2000). Each of these proteins bind CaM, and one or more  
 6 binding sites within each protein are annotated. A non-redundant  
 7 subset of 153 proteins containing 185 binding sites was then chosen  
 8 such that no two proteins have more than 40% sequence identity  
 9 and no two binding sites are more than 50% identical.

10 Sequence windows of length 21, the average length of CaM  
 11 binding sites, were extracted from the protein sequences to create  
 12 positive and negative examples. Negative examples were created  
 13 by sliding a length 21 window in 10 amino acid increments such  
 14 that no part of the window overlaps an annotated binding site.  
 15 Positive examples, on the other hand, were created by sliding  
 16 length 21 window over an annotated binding site in increments of  
 17 1 amino acid. Thus, the number of positive examples from an an-  
 18 notated binding site equals the number of amino acids in the bind-  
 19 ing site.

20 For CaM binding prediction, we used a data set of 236 proteins  
 21 experimentally determined to bind CaM using a protein array  
 22 screen that tested around a thousand proteins in *Arabidopsis thali-*  
 23 *ana* (Popescu, 2007). The remaining 27,140 proteins in the *Ara-*  
 24 *bidopsis thaliana* proteome were used as negative examples (non-  
 25 binders).

26 **2.2 Vanilla SVM**

27 As a baseline method we have used a standard binary SVM (Cortes  
 28 & Vapnik, 1995). Our labeled dataset consists of  $N$  labeled exam-  
 29 ples  $(x_i, y_i)$ , where  $x_i$  is the sequence of a window, and  
 30  $y_i \in \{+1, -1\}$  is its associated label indicating whether the central  
 31 residue of  $x_i$  lies in a binding site or not.

32 The large-margin learning problem can be formulated as:

$$\min_{w, \rho, \xi} \frac{1}{2} w^T w + C \sum_{i=1}^N \xi_i \quad (1)$$

subject to:  $y_i(w^T \phi(x_i) + \rho) \geq 1 - \xi_i, \forall i.$

33 Here  $\phi(x_i)$  is the feature representation of the window  $x_i$  and the  
 34 cost parameter  $C$  controls the trade-off between constraint viola-  
 35 tion and margin maximization. The discriminant function  $f(x_i) =$   
 36  $w^T \phi(x_i) + \rho$  can then be used to predict whether a given window  
 37 is part of a binding site or not. The location of a binding site is  
 38 predicted by the window that offers the highest value of the dis-  
 39 criminant function for that protein (Hamilton, Reddy, & Ben-Hur  
 40 2011). PyML (Ben-Hur, PyML - machine learning in Python  
 41 2011) was used for the implementation.

42 **2.3 Multiple Instance Learning SVM (mi-SVM)**

43 In MIL (both mi-SVM and MI-1-SVM), the positive examples  
 44 from each binding site are grouped into a single bag. We denote  
 45 the set of positive examples for a given binding site  $b$  as  $P(b)$  and  
 46 the set of negative examples from the protein to which the binding  
 47 site  $b$  belongs as  $N(b)$ . The mi-SVM approach is formulated as  
 48 follows (Andrews, Tsochantaridis, & Hofmann, 2003):


$$\min_{y \in \{-1, +1\}^N} \left( \min_{w, \rho, \xi \geq 0} \frac{1}{2} w^T w + \frac{C}{N} \sum_{i=1}^N \xi_i \right)$$

subject to:  $y_i(w^T \phi(x_i) + \rho) \geq 1 - \xi_i, \forall i$  (2)

$$\sum_{i \in P(b)} \frac{y_i + 1}{2} \geq 1, \quad \forall b$$

$$y_i = -1, \quad \forall i \in N(b), \forall b.$$

In this formulation  $y_i \in \{+1, -1\}$  acts as a label for the window  $x_i$ , and the objective is to find the optimal labeling of the examples that comprise the positive bags such that at least one example in each positive bag is labeled as positive ( $\sum_{i \in P(b)} (y_i + 1)/2 \geq 1$ ). The other constraints ensure correct labeling of the given training examples and that all negative examples are labeled as negative examples. In case of the binding site prediction problem, this means that a trained mi-SVM will choose at least one positive window from the set of positive windows in a binding site. The mi-SVM formulation is a combinatorial optimization problem. We use the heuristic algorithm proposed by (Andrews, Tsochantaridis, & Hofmann, 2003) to solve this problem. The algorithm initially assigns the label of a bag to all examples in it, i.e., all examples in positive bags are assigned a label of +1 whereas all negative examples are assigned -1. It uses these assigned labels to solve a regular SVM learning problem (as in Equation (1)). Labels for all examples in positive bags are then imputed based upon the sign of their discriminant function value. If no example in a positive bag is assigned a positive label (i.e. the constraint  $\sum_{i \in P(b)} (y_i + 1)/2 \geq 1$  is violated), the algorithm picks the example in the bag having the largest discriminant function value and sets its label to +1. The algorithm then alternates between label imputation and SVM training until the labels stop changing. This simple algorithm has shown good performance in comparison to more complicated ones



(Andrews, Tsochantaridis, & Hofmann, 2003).

Fig. 1. CaM binding site prediction with MIL. The annotated binding site is shown as a box, and is represented by a “bag” composed of the windows indicated in red above the binding site. The rest of the windows that do not overlap the binding site are negative examples (shown in blue below the protein). The bottom panel illustrates the desired characteristics of the classifier’s discriminant function. The dots indicate the score of different examples (positive indicated by solid red circles and negative shown as hollowed blue circles). The score from the trained discriminant function for one window in a binding site should be higher than the scores generated for non-binding site windows within that protein.

49 **2.4 Novel MI SVM Formulation (MI-1 SVM)**

50 Accurate prediction of the location of a binding site in a protein  
 51 requires a less stringent condition than the one used in mi-SVM: at  
 52 least one window in the true binding site needs to score higher than  
 53 the negative windows from the same protein (see Fig. 1). This  
 54

1 allows us to significantly reduce the complexity of the learning  
 2 problem in comparison to mi-SVM. The mi-SVM and vanilla  
 3 SVM formulations try to classify windows as binding or non-  
 4 binding without modeling the concept that these windows in fact  
 5 lie within a protein. Our proposed MI-1 SVM formulation, on the  
 6 other hand, operates at the protein level. The large-margin formula-  
 7 tion of this learning problem, can be expressed as follows:

$$\min_{w, \xi \geq 0} \frac{1}{2} w^T w + \frac{C}{M} \sum_b \xi_b$$

such that  $\forall b$

$$\max_{i \in P(b)} w^T \phi(x_i) \geq w^T \phi(x_j) + 1 - \xi_b, \forall j \in N(b),$$
(3)

8 where,  $M$  is the total number of binding sites in the training data.  
 9 For a given binding site, this formulation tries to maximize the  
 10 difference between the discriminant function values of the maxi-  
 11 mum scoring window within the binding site and the non-binding  
 12 windows in the rest of the protein containing that binding site.  
 13 Since MI-1 SVM simply compares the discriminant function  
 14 scores in the binding and non-binding site windows in its con-  
 15 straints, it does not require a bias term. Moreover, the number of  
 16 slack variables ( $\xi_b$ ) in MI-1 SVM is equal to the number of bind-  
 17 ing sites and not the number of training examples, as in the vanilla  
 18 SVM and the mi-SVM. As a consequence, the number of variables  
 19 involved in the optimization in MI-1 SVM is much smaller than  
 20 that in mi-SVM and this leads to faster training. Using the same  $\xi_b$   
 21 for a single binding site effectively takes the maximum of the  
 22 scores over all non-binding site windows of the protein to which  $b$   
 23 belongs. Another important feature of MI-1 SVM is that, like the  
 24 ranking SVM discussed in (Joachims, 2006), MI-1 SVM also ex-  
 25 plicitly maximizes the area under the Receiver Operating Charac-  
 26 teristics (ROC) curve.

27 **Table 1.** Heuristic algorithm used for training MI-1

<b>Initialization</b>	59
With each binding site $b$ , we associate a representative example $x^b$ with feature representation $\phi(x^b)$ which is initialized to be the mean of the examples in $P(b)$ :	60 61 62 63
$\phi(x^b) = \frac{1}{ P(b) } \sum_{i \in P(b)} \phi(x_i), \forall b$	64 65 66
<b>Until Convergence, repeat:</b>	67
Solve the following quadratic programming (QP) problem:	68
$\min_{w, \xi \geq 0} \frac{1}{2} w^T w + \frac{C}{M} \sum_b \xi_b$	69
such that, $\forall b$	70
$w^T \phi(x^b) \geq w^T \phi(x_j) + 1 - \xi_b, \forall j \in N(b)$	71
Update (for all binding sites):	72
$\phi(x^b) = \phi(x_i) \text{ such that } i = \operatorname{argmax}_{j \in P(b)} w^T \phi(x_j)$	73 74

The quadratic programming problem in the MI-1 algorithm can be solved in the primal or in the dual. The primal formulation of the problem (3) is more efficient than the dual when the dimensionality of the feature vector is smaller than the number of training examples. The dual formulation of the quadratic programming problem (based upon the Lagrange of the primal) is given by:

$$\min_{\alpha} \left( \frac{1}{2} \sum_{b, j \in N(b)} \sum_{c, j \in N(c)} \alpha_i^c (\Delta_i^c)^T \Delta_j^b \alpha_j^b - \sum_{b, j \in N(b)} \alpha_j^b \right)$$

such that  $\forall b$ :

$$\alpha_j^b \geq 0, j \in N(b),$$

$$\sum_{j \in N(b)} \alpha_j^b \leq \frac{C}{M}.$$
(4)

Here  $\alpha_j^b$  is the Lagrange variable corresponding to the primal constraint  $w^T \phi(x^b) \geq w^T \phi(x_j) + 1 - \xi_b$  and  $\Delta_j^b = \phi(x^b) - \phi(x_j)$ . The dual formulation reveals some interesting aspects of the MI-1 SVM. It shows that Lagrange variables ( $\alpha$ ) only exist for negative examples, and that the sum of all  $\alpha$  for negative examples from a single protein is constrained to be less than or equal to  $C/M$ . This differs from a conventional SVM formulation which requires that each of the  $\alpha$ , on its own, should be less than or equal to  $C/M$  and the sum of products of  $\alpha$  from all training examples with their corresponding labels should be zero. Thus, the MI-1 SVM formulation is less constrained than a conventional SVM formulation and this can potentially lead to a better solution.

## 2.5 CaM Binding Prediction

In this paper, we compare the following two strategies for CaM binding prediction.

### 2.5.1 Discriminant Function Scoring

The maximum discriminant function score across all windows in a protein can be used as the CaM binding propensity of that protein. This approach was used in (Hamilton, Reddy, & Ben-Hur, 2011) to predict CaM binding of proteins in the *Arabidopsis thaliana* proteome. In their method, the scores were generated using a standard SVM classifier trained for binding site prediction. In this paper, we use the scores from MI-1 SVM instead.

### 2.5.2 Cascaded Classification

We implemented a two stage cascaded classification approach for CaM binding prediction. In the first stage the window in a given protein with the highest MI-1 SVM discriminant function score is chosen as the most likely binding site window for that protein. This is done for all proteins in the training set. In the second stage, a standard SVM is trained to discriminate between the most likely binding site windows in positive examples (known CaM binding proteins) and negative examples (non CaM-binding proteins). Once the second stage SVM has been trained, the binding propensity of a test protein can be estimated by first finding its most likely binding site window using MI-1 SVM, and then evaluating the discriminant function value of the second stage SVM for the chosen window. A Gaussian kernel was used in the second stage SVM as it performed significantly better than a linear kernel. However, the use of non-linear kernels in MI-1 SVM did not seem to improve performance.

28 Similar to mi-SVM, which performs optimization over the labels  
 29 of examples in positive bags, MI-1 SVM is also a combinatorial  
 30 optimization problem because of the maximum operation in its  
 31 constraints. We have used the heuristic algorithm given in Table-  
 32 to obtain a solution to this problem. The algorithm can be stopped  
 33 when the representative examples of all binding sites stop chang-  
 34 ing, or on the basis of a user-defined maximum number of itera-  
 35 tions. In all our experiments, the algorithm converged in 10 itera-  
 36 tions or less. A trained MI-1 SVM can be used to produce discrimi-  
 37 nant function scores for any given residue in a protein.

1	<b>2.6 Feature Representations</b>	52
2	The performance of the learning methods described above for	53
3	binding site and CaM binding prediction was analyzed using	54
4	number of feature representations which are presented next.	55
5	<b>2.6.1 <math>p</math>-spectrum</b> The $p$ -spectrum $\phi(x)$ of a string over an	56
6	alphabet $\Sigma$ is a vector each of whose components $\phi_v(x)$ is the	57
7	number of occurrences of each length- $p$ substring $v$ in the string $x$ .	58
8	The $p$ -spectrum kernel between two strings is given by the corre-	59
9	sponding Euclidean dot product (Leslie, Eskin, & Noble, 2002).	60
10	<b>2.6.2 Position dependent <math>p</math>-spectrum</b> The position dependent $p$ -	61
11	spectrum $\phi(x)$ of a string $x$ is a vector of indicator variables	62
12	$\phi_{(v,k)}(x)$ each showing whether the length- $p$ substring $v$ occurs at	63
13	position $k$ in the string $x$ . The resulting position dependent $p$ -	64
14	spectrum kernel is given by: $K^{PD}(x, x') = \phi(x)^T \phi(x')$ . The posi-	65
15	tion dependent kernel takes the relative position of an amino acid	66
16	in a window into account whereas the $p$ -spectrum kernel does not.	67
17	<b>2.6.3 Position dependent gappy triplet</b> This feature representa-	68
18	tion quantifies the occurrences of motifs of the form $ax^m b x^n c$	69
19	where $a, b, c$ are amino acids and $x^m$ indicates $m$ don't-care posi-	70
20	tions. For a given string $x$ , the feature vector $\phi^{m,n}(x)$ of the posi-	71
21	tion dependent gappy triplet comprises of variables $\phi_{(a,b,c,k)}^{m,n}(x)$	72
22	which indicate whether the motif $ax^m b x^n c$ starts at position $k$ in	73
23	the string or not. The kernel $K^{m,n}(x, x') = \phi^{m,n}(x)^T \phi^{m,n}(x')$ be-	74
24	tween two strings tells us the number of locations in the two strings	75
25	that have the same motif starting at them. We have used multiple	76
26	position dependent gappy triplet kernels as $K^{PDGT}(x, x')$	77
27	$\sum_{m=0}^4 \sum_{n=0}^4 K^{m,n}(x, x')$ . This kernel allows us to extract meaning	78
28	ful information about motifs for CaM binding sites and is only	79
29	used for binding site prediction for this purpose.	80
30	We perform normalization of any kernel representation using the	81
31	cosine kernel $K_{cos}(x, x') = \frac{K(x, x')}{\sqrt{K(x, x)K(x', x')}}.$	82
32	<b>2.7 Evaluation Methodology</b>	83
33	We use Leave-One-Protein-Out (LOPO) cross validation in orde-	84
34	to analyze the performance for binding site prediction. In LOPO	85
35	all examples (positive or negative) from a single protein are held	86
36	out while the classifier is trained on the remaining proteins. The	87
37	classifier is then evaluated over the examples from the held out	88
38	protein. We evaluate the following performance metrics and use	89
39	their average across all proteins to make comparisons between	90
40	methods and kernels:	91
41	a. Protein level area under the ROC curve (AUC): The area	92
42	(expressed as percentage) under the Receiver Operating Char-	93
43	acteristic (ROC) curve (the plot of true positive rate versus	94
44	false positive rate) obtained for windows in a given protein.	95
45	b. Protein level Area under ROC 10% Curve (AUC <sub>0.1</sub> ): The area	96
46	(expressed as percentage) under the ROC curve based on up	97
47	to the first 10% false positives in a protein.	98
48	c. False-Hit Ratio (FH-measure): The percentage of non-binding	99
49	site windows (out of the total number of non-binding site	100
50	windows) that have a score higher than the maximum scoring	101
51	window in the known binding site. This measure tells us how	102

many non-binding site windows are expected with a score higher than the true binding site window.

- d. True Hit Probability (TH-measure): For a given protein, a true hit is defined to occur when the residue at the center of the highest scoring window for that protein lies within a binding site. The average number of true hits across all proteins (called the TH-measure) represents the probability of the maximum scoring window predicted by a classifier to lie within a true binding site.

The AUC is a measure of how good a particular method is in ranking binding site windows above non binding sites. AUC<sub>0.1</sub> gives us a sense of how good are the top scoring windows produced by a classifier. The FH measure represents the chances of a non-binding site window to be ranked higher than a true binding site window. The TH-measure tells us about the chances of the highest scoring window predicted by a classifier to belong to a true binding site. Both the TH and the FH measures provide meaningful information about the accuracy of the method to a biologist who intends to use the proposed prediction scheme to verify potential binding site locations experimentally.

We use AUC as the performance metric for CaM binding prediction. AUC can be directly computed from the estimated CaM binding propensities when using the discriminant function scoring approach. With the cascaded classification approach, AUC is obtained from 5-fold stratified cross validation with nested grid search for model selection. In cross-validation, it was ascertained that two proteins with more than 40% sequence similarity are in the same fold (evaluated using BLASTCLUST from the NCBI BLAST package (Altschul, Gish, Miller, Myers, & Lipman, 1990)). Moreover, the data for CaM binding prediction in *A. thaliana* did not include any proteins which were part of the MI-1 training set.

## 2.8 Model Selection

In order to perform model selection (the choice of the cost parameter  $C$ ) for the vanilla and MI-1 SVM formulations for binding site prediction, we used nested 5-fold cross validation within each iteration of LOPO cross validation. The TH-measure obtained from the 5-fold cross validation is then used to choose the value of  $C$  for that iteration of LOPO. The values of  $C$  that were used in the nested cross validation are {0.01, 0.1, 1.0, 10, 100}.

As mi-SVM takes a long time to train, nested cross validation could not be performed. Instead we evaluated the LOPO cross validation performance (TH-measure) of mi-SVM with different values of  $C$  in {0.01, 0.1, 1.0, 10, 100} and the best results with the optimal value of  $C=10$  are reported. This method for selection of  $C$  for mi-SVM can potentially lead to over optimistic performance estimates. This is not an issue, since our claim is that the proposed approach performs better.

In the case of CaM binding prediction in *Arabidopsis thaliana* using cascaded classification, we performed a nested (5-fold) grid search within each cross validation fold for selecting the parameter values of the second-stage SVM. Values of  $C$  in the SVM and  $\gamma$  of the Gaussian kernel ( $K(x_1, x_2) = \exp(-\gamma \|\phi(x_1) - \phi(x_2)\|^2)$ ) were chosen from {0.1, 1, 10, 100} and {0.005, 0.02, 0.5, 2.0} respectively.

## 3 RESULTS & DISCUSSION

1 Table 2 presents the LOPO cross validation results for the three  
 2 SVM formulations for the 1-spectrum, position dependent  
 3 spectrum and the combination of the two feature representations  
 4 for predicting CaM binding sites. We observe that both MIL  
 5 formulations (mi-SVM and MI-1 SVM) perform better than the vanilla  
 6 SVM. This shows the value of expressing binding site prediction  
 7 as a multiple instance learning problem. This is particularly evident  
 8 with the use of position dependent feature representations, as they  
 9 are more sensitive to changes in relative position of an amino acid  
 10 in a window within the binding site than position independent fea-  
 11 ture representations. It can also be noted that the accuracy of MI-1  
 12 SVM is noticeably better than mi-SVM. We believe that this im-  
 13 provement stems from the fact that the proposed scheme imple-  
 14 ments a more realistic model of the binding site prediction prob-  
 15 lem. The improvement resulting from switching to a position de-  
 16 pendent feature representation is also larger for MI-1 SVM than  
 17 that observed in the case of mi-SVM. The higher  $AUC_{0.1}$  scores  
 18 indicate the improved sensitivity and specificity of MI-1 SVM  
 19 which is also reflected in the  $\sim 8\%$  improvement in the TH-  
 20 measures and the decrease in the FH-measure.


21 The vanilla SVM approach is the same as the method in  
 22 (Hamilton, Reddy, & Ben-Hur, 2011), which they showed works  
 23 comparably as the neural network approach of (Radivojac,  
 24 Vucetic, O'Connor, Uversky, Obradovic, & Dunker, 2006). There-  
 25 fore we conclude that the proposed scheme performs better than  
 26 previously reported approaches.

27 We also compare the performance of these approaches with  
 28 naive local alignment based method for finding CaM binding sites  
 29 In this method, local alignment between a held out protein and the  
 30 binding sites of the remaining proteins is performed and if the best  
 31 scoring alignment overlaps (by at least ten residues) with the  
 32 known binding site in the held out protein, it is considered to be a  
 33 true hit. This approach gives a TH% of 39.5%. This shows that the  
 34 machine learning approaches presented in this paper use more than  
 35 sequence similarity to make better predictions.

36 We have also performed an analysis of the stability of the results  
 37 for the MI-1 and the vanilla SVMs by averaging performance statis-  
 38 tistics of 12 runs of 5-fold cross validation. This analysis was not  
 39 performed for mi-SVM or for the gappy triplet kernel with MI-1  
 40 SVM owing to their large time requirements. The 5-fold cross  
 41 validation results for both the methods are very similar to the  
 42 LOPO cross validation results. The maximum standard deviation  
 43 in a particular performance metric across different feature repre-  
 44 sentations obtained from the 5-fold cross validation for vanilla and  
 45 MI-1 SVMs is given in Table 2. This statistic gives an idea of the  
 46 variability of the results with respect to changes in the data.

47 Figure 2 shows the output of the MI-1 SVM for a single protein  
 48 for the position dependent and position independent versions of the  
 49 1-spectrum feature representation. It is quite clear that the output  
 50 for the position independent features is much smoother than that  
 51 from the position dependent 1-spectrum features. This is because  
 52 the position independent 1-spectrum feature vector representation  
 53 changes only slightly as the window is translated by one position,  
 54 whereas the position dependent feature vector can change dramati-  
 55 cally. Due to the increased resolution power, the position depend-  
 56 ent features lead to a classifier that is able to correctly predict both

binding sites in the example shown in Figure 2, which is not  
 achieved using the position dependent features.



**Fig. 2.** MI-1 discriminant values along the length of a held-out protein, with the position independent (top) and the position dependent (bottom) 1-spectrum features.


**Table 2.** Results across methods and kernels. The features are 1-spectrum (1-Spec), position dependent 1-spectrum (PD-1) and the combination (Comb) of the 1-Spec and PD-1 representations. The Max Std. rows show the maximum standard deviation of a particular performance metric using the above feature representations. Results with the position-dependent Gappy triplet kernel (Gappy) with MI-1 SVM are also reported (for a single run due to its longer computational time). Bold numbers indicate the best value (across all methods) for a particular metric using a particular feature representation. (AUC: Area under the ROC curve,  $AUC_{0.1}$  AUC for first 10% false positives, TH: True hit, FH: False hit).

Method	Features	AUC	$AUC_{0.1}$	TH %	FH %
Vanilla SVM	1-Spec	95.5	53.9	<b>66</b>	2.6
	PD-1	95.6	54.5	64	2.5
	Comb.	95.9	55.1	65	2.1
	Max. Std.	0.16	0.59	2.2	0.15
mi-SVM	1-Spec	95.5	<b>54.4</b>	64	2.6
	PD-1	96.0	55.8	69	2.1
	Comb.	96.2	55.6	68	1.9
MI-1 SVM	1-Spec	<b>96.0</b>	54.3	62	<b>2.1</b>
	PD-1	<b>96.8</b>	<b>58.5</b>	<b>72</b>	<b>1.3</b>
	Comb.	<b>96.9</b>	<b>59.0</b>	<b>75</b>	<b>1.2</b>
	Max Std.	0.14	0.80	3.4	0.11
	Gappy	96.5	58.5	68	1.6

**Table 3.** Results of CaM binding prediction for Discriminant Function Scoring and Cascaded Classification with an SVM with a Gaussian kernel. The features are 1-spectrum (1-Spec), position dependent 1-spectrum (PD-1) and the combination (Comb) of the 1-Spec and PD-1 feature representations. Using Cascaded Classification with a liner kernel in the second stage SVM instead of the Gaussian kernel, the best AUC was 0.72 with 1-spectrum features. (AUC: Area under the ROC curve).

Method	Features	AUC
Discriminant Function Scoring	1-Spec	71.9
	PD-1	70.1
	Comb.	71.9
Cascaded Classification	1-Spec	<b>75.3</b>
	PD-1	<b>71.1</b>
	Comb.	<b>72.3</b>





1 **Fig. 3.** (a) Weights of different amino acids in the (position independent) 1-spectrum feature representation (b) Heat map of the weights of different amino  
 2 acids versus their position from the MI-1 SVM position dependent 1-spectrum feature representation and (c) Top 100 (in terms of their weights) motifs from  
 3 the position dependent gappy triplet kernel. The last (numeric) column shows actual weight values.

4 We have also analyzed the weight vectors from different feature  
 5 representations in order to extract amino-acid patterns informativ  
 6 of CaM binding sites. The plot of weights from the 1-spectrum  
 7 features and the position dependent 1-spectrum features are show  
 8 in Figure 3a and 3b respectively. The weights for the 1-spectrum  
 9 features closely follow the amino acid propensities in CaM bind  
 10 ings sites (Hamilton, Reddy, & Ben-Hur, 2011), with R (Arginine)  
 11 K (Lysine) and W (Tryptophan) showing large positive weights  
 12 whereas D (Aspartic acid), E (Glutamic acid) and P (Proline) hav  
 13 large negative weights. The plot of the position dependent  
 14 spectrum features indicates that the importance of different amin  
 15 acids varies with their position in the window. For example, Argi  
 16 nine shows large positive weights in the middle of the window, and  
 17 negative weights in the ends; Glutamic acid shows the opposit  
 18 behavior. This indicates that the classifier is indeed learning  
 19 position dependent model.

20 The results of 5-fold cross validation using the position depend  
 21 ent gappy triplet kernel ( $K^{PDGT}$ ) shown in Table 2 indicate tha  
 22 this kernel provides comparable performance to other feature rep  
 23 resentations using MI-1 SVM. Since the number of dimensions is  
 24 the feature representation of the gappy triplet kernel is much large  
 25 than the number of training examples, MI-1 SVM learning was  
 26 performed using the dual formulation for this kernel, which is  
 27 more computationally intensive. That is why we have used 5-fold  
 28 cross validation instead of LOPO cross-validation.

29 Next, we ranked the features of the gappy triplet kernel in terms  
 30 of their weights in MI-1 SVM learning in order to find motifs tha

are associated with CaM binding. Figure 3c shows the top 100 motifs and their positions. We observe that motifs tend to associate with particular positions, showing that MI-1 SVM uses the flexibility in choosing a representative window to “align” instances of CaM binding sites (for instance, notice the presence of 'R' at positions 10 and 11 across different features). Moreover, it is able to find parts of known CaM binding motifs provided in the CaM Target Database (Yap, Kim, Truong, Sherman, Yuan, & Ikura, 2000). The CaM Target Database classifies CaM binding targets into 5 groups, each characterized by certain motifs: three predominantly calcium dependent motifs (1-10, 1-14 and 1-16, named according to the position of large hydrophobic residues), the IQ motif which is typically not dependent on calcium concentration, and others. As is evident from Figure 3c, IQ, QxxxR, RxxxR, RGxxxR, RxxL, KxxxxR receive large positive weights. These motifs are components of the IQ subclass of motifs. Other features belonging to different subclasses of motifs that receive large positive weights include: AxxI, IxxF, LxxV, (from the 1-14 subclass), RR, KK, RxF (from the 1-10 subclass) etc. This clearly illustrates the capabilities of the proposed scheme to learn CaM binding motifs. We also note that most of the top ranking features correspond to a motif with 3 or 4 don't care positions. This is in agreement with the known fact that CaM binding usually occurs via an alpha helix, and this corresponds to the periodicity of the alpha helix.

On the task of CaM binding prediction (Table 3), the performance of discriminant function scoring is only marginally better than that of the 1-spectrum feature representation used in

(Hamilton, Reddy, & Ben-Hur, 2011). However, with the cascade classification approach with a Gaussian kernel, the results are significantly better. Even though the AUC for the position independent 1-spectrum features is higher than that of the position dependent features, the  $AUC_{0.1}$  was higher for position dependent features (29.1) in comparison to the simple 1-spectrum features (26.6). In order to obtain a better understanding of what our classifier picks up, we considered the proteins that are not known to bind to CaM and ranked that list according to the score provided by our classifier. We then tested for enrichment of GO terms of segments of that list: the first 1000 proteins, proteins 1001 - 2000 etc., using the GOrilla tool (Eden, Navon, I., Lipson, & Yakhini, 2009). For the first 1000 we found enriched terms that are in agreement with known functions of CaM binders (Reddy, Ben-Hur, & Day, 2011). In GO molecular function, transcription function activity, and CaM-dependent kinase activities were the most highly enriched with adjusted p-values below  $10^{-10}$ . All other enriched terms were related to these except for "inward rectifier potassium channel activity" which had an adjusted p-value of 0.02. In GO biological process namespace all the terms except for "response to carbohydrate stimulus" (adjusted p-value 0.02) were related to phosphorylation and various regulatory processes. In analyzing enrichment for size-1000 chunks we found that the p-values for these functions and processes went down as we went down the ranked list, and for proteins ranked 5000-6000, no terms showed enrichment.

## 26 CONCLUSIONS & FUTURE WORK

We have presented a novel MIL algorithm for CaM binding site prediction called MI-1 SVM, and shown its performance advantages in comparison to the standard MIL SVM and regular SVM, which was used in previous work. Our new MIL formulation captures the minimal constraints that a good binding site classifier needs to have, and we believe this is the reason for its better accuracy. Not only that, it also runs more than twice as fast as standard MIL SVM (running time on a dataset of 16,060 windows was 510.5s for MI-1, 1059.1s for mi-SVM, and 348.3s for vanilla SVM).

Expressing binding site prediction as an MIL problem is a natural way to incorporate uncertainty about binding site location, and our results show that this allows the classifier to "align" binding sites and learn position-dependent motifs that characterize the binding site. The proposed scheme also shows its efficacy in prediction of CaM binding proteins.

In general, binding sites in proteins or nucleic acids are not contiguous in sequence as they are in CaM binding proteins. MI-SVM can be extended to solve the generic problem of binding site prediction by using sequence-based features that capture the non-contiguous nature of binding sites. Currently, MI-1 SVM generalizes the CaM binding propensity along a protein's length and can not explicitly identify multiple binding sites. Identifying the number of binding sites in a protein remains for future work.

## 51 ACKNOWLEDGEMENTS

The authors wish to thank Michael Hamilton for his assistance, and Keith Dunker and Predrag Radivojac for providing the processed CaM binding datasets used in this work.

**Funding:** FM is supported by a grant from the Fulbright scholarship program of the U.S. State Department and Higher Education Commission (HEC) of Pakistan.

## REFERENCES

- Altschul, S., Gish, W., Miller, W., Myers, E., & Lipman, D. (1990). Basic local alignment search tool. *Journal of Molecular Biology*, 215 (3).
- Andrews, S., Tsochantaridis, I., & Hofmann, T. (2003). Support vector machines for multiple-instance learning. *Advances in Neural Information Processing Systems*, 15, 561-568.
- Babenko, B., Yang, M.-H., & Belongie, S. (2011). Robust Object Tracking with Online Multiple Instance Learning. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 33 (8), 1619 - 1632.
- Ben-Hur, A. (2011). *PyML - machine learning in Python*. From <http://pyml.sourceforge.net/>
- Ben-Hur, A., Ong, C. S., Sonnenburg, S., Schölkopf, B., & Rätsch, G. (2008). Support Vector Machines and Kernels for Computational Biology. *PLoS Computational Biology*, 4 (10).
- Bouche, N., Yellin, A., Snedden, W., & Fromm, H. (2005). Plant-specific Calmodulin-binding proteins. *Annual Review of Plant Biology*, 56 (1), 435-466.
- Cortes, C., & Vapnik, V. (1995). Support-vector networks. *Machine Learning*, 20, 273-297.
- Dietterich, T.G., Lathrop, R. H., & Lozano-Perez, T. (1997). Solving the multiple instance problem with axis-parallel rectangles. *Artificial Intelligence*, 89 (1-2), 31-71.
- Eden, E., Navon, R., Steinfeld, I., Lipson, D., & Yakhini, Z. (2009). GOrilla: A Tool For Discovery And Visualization of Enriched GO Terms in Ranked Gene Lists. *BMC Bioinformatics*, 10, 48.
- Hamilton, M., Reddy, A., & Ben-Hur, A. (2011). Kernel methods for Calmodulin binding and binding site prediction. *ACM Conference on Bioinformatics, Computational Biology and Biomedicine*. Chicago, USA.
- Joachims, T. (2006). Training Linear SVMs in Linear Time. *Proceedings of the 12th ACM SIGKDD international conference on Knowledge discovery and data mining* (pp. 217-226). New York, NY, USA: ACM.
- Leslie, C., Eskin, E., & Noble, W. S. (2002). The spectrum kernel: a string kernel for SVM protein classification. *Pacific Symposium on Biocomputing*, (pp. 566-575).
- O'Neil, K. T., & DeGrado, W. F. (1990). How calmodulin binds its targets: sequence independent recognition of amphiphilic alpha-helices. *Trends in Biochemical Sciences*, 15 (2), 59-64.
- Popescu, S. C. (2007). Differential binding of calmodulin-related proteins to their targets revealed through high-density Arabidopsis protein microarrays. *Plant Biology*, 104 (11), 4730-4735.
- Radivojac, P., Vucetic, S., O'Connor, T., Uversky, V., Obradovic, Z., & Dunker, A. (2006). Calmodulin signaling: analysis and prediction of a disorder-dependent molecular recognition. *Proteins: Structure, Function and Bioinformatics*, 63 (2), 398-410.
- Rätsch, G., & Sonnenburg, S. (2004). Accurate Splice Site Prediction for *Caenorhabditis Elegans*. In B. Schölkopf, K. Tsuda, & J. Vert, *Kernel Methods in Computational Biology* (pp. 277-298).
- Reddy, A., Ben-Hur, A., & Day, I. S. (2011). Experimental and computational approaches for the study of calmodulin interactions. *Phytochemistry*.
- Tao, Q., Scott, S., Vinodchandran, N. V., & Osugi, T. T. (2004). SVM-based generalized multiple-instance learning via approximate box counting. *Twenty-First International Conference on Machine Learning*, (pp. 779-806).
- Teramoto, R., & Kashima, H. (2010). Prediction of protein-ligand binding affinities using multiple instance learning. *Journal of Molecular Graphics and Modelling*, 29 (3), 492-497.
- Yap, K. L., Kim, J., Truong, K., Sherman, M., Yuan, T., & Ikura, M. (2000). Calmodulin target database. *Journal of Structural and Functional Genomics*, 1 (1), 8-14.
- Zhou, H., & Qin, S. (2007). Interaction-site prediction for protein complexes: a critical assessment. *Bioinformatics*, 23 (17), 2203-2209.